

PRZEDSIĘBIORSTWO USŁUGOWO REMONTOWE
REMODEX
ZAKŁAD BADAŃ I WDROŻEŃ PRZEMYSŁU MEBLARSKIEGO
Spółka z o.o.

Gruszczyn, ul. Leśna 12
62-006 Kobylnica

e-mail: biuro@remodex.com.pl
KRS 000099068

tel./fax. 61 817-49-97
tel. kom. 601 391 825

SIGN: BW/PB/38/23

DATE: 2023-04-11

Order from: 2023-03-28

TEST REPORT

Determination of the abrasion resistance of fabric by Martindale method

- | | |
|--|---|
| 1. Name and type of article - | Fabric ZN-4 |
| 2. CLIENT - | P.H. „STEMA” Stefan Boczyło
ul. Towarowa 22A
58-100 ŚWIDNICA |
| 3. Type of test | |
| - resistance to abrasion by Martindale method | - inspection intervals after 1000, 2000, 5000 and 10000 cycles |
| - loading – nominal pressure 12 kPa | - the number cycles: average – 80.000 |
| - translational movement along Lissajous tracks | (after 40 000 cycles pilling appears, after 90.000 cycles, wiping the top layer of fabric) |
| - resistance to pilling
(modified Martindale’s method) | - after 2000 cycles – degree of change 5
(no changes) |
| - loading – 260 g, | - after 5000 cycles – degree of change 5
(no changes) |
| - translational movement along Lissajous tracks | |
| 4. Documents identifying article - | order. |

This article was tested in accordance with the test procedures described in:


PN-EN ISO 12947-2:2017
PN-EN ISO 12945-2:2002
for conformity with PN-EN 14465:2005/A1:2007, annex A

TEST RESULTS:

POSITIVE

Article fulfill the requirements PN-EN 14465:2005/A1:2007, annex A. at the level category A

Attention: The test sample was acclimated according to PN-EN ISO 139:2006

Test operator

.....
/M Sc. (Eng.) Piotr Błaszczak/

PREZES ZARZĄDU

mgr inż. Piotr Błaszczak

TEST REPORT contain 1 page

The test results are only valid for the article tested.
This TEST REPORT shall not be reproduced, except in full, without the written approval of the laboratory.